
Evidence-Based Mental Health



Contents

Systematic review

Social anxiety apps: a systematic review and assessment of app descriptors across mobile store platforms

M Alyami, B Giri, H Alyami, F Sundram

Clinical review

Recent advances in understanding and managing body dysmorphic disorder OPEN ACCESS G Krebs, L Fernandez de la Cruz,

D Mataix-Cols

Original articles

76 Internet-based cognitive behavioural therapy for young people with suicide-related behaviour (Reframe-IT): a randomised controlled trial S E Hetrick, H P Yuen, E Bailey, G R Cox, K Templer, S M Rice, S Bendall, J Robinson

Applying deep neural networks to unstructured 83 text notes in electronic medical records for OPEN ACCESS phenotyping youth depression

> J Geraci, P Wilansky, V de Luca, A Roy, J L Kennedy, J Strauss

Statistics in practice

88 Common pitfalls and mistakes in the set-up, analysis and interpretation of results in network meta-analysis: what clinicians should look for in a published article

> A Chaimani, G Salanti, S Leucht, J R Geddes, A Cipriani

Commentaries

Forensic psychiatry

HCR-20 shows poor field validity in clinical forensic psychiatry settings J Tully

Further commentaries

Electronic pages

e11 Increased serotonin 1A receptor availability in the raphe nuclei predicts future suicidal behaviour A Frick

August 2017 Volume 20 Issue 3

e12 Analysis of multisource data establishes wide-ranging antecedents of youth suicide in England

L Horowitz, J A Bridge

e13 Childhood comorbidity and parental mental health problems appear to be associated with ADHD persistence J Agnew-Blais

e14 Subthreshold hypomania affects half of patients with bipolar disorder presenting with depressive symptoms R S McIntyre

Structured group psychoeducation in patients with bipolar disorder delays time to mania and time to any episode compared with a peer support group S Watson, A Dodd

Spoken language shows some improvement following intervention for children with autism: but for which children and why? K Hudry, S Dimov

Short-term efficacy of psychological and psychopharmacological interventions for panic disorder appears not to be different A Hoffart

No significant difference in long-term remission between psychological therapies and antidepressants in panic disorder H Imai, T A Furukawa

This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available OPEN ACCESS Online under the BMJ Journals Open Access scheme. See http://ebmh.bmj.com/site/ about/guidelines.xhtml#open



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics www.publicationethics.org





re regular table of contents by email. Register using this QR code





20 (3)

Evid Based Mental Health 2017 20: e11-96

Updated information and services can be found at: http://ebmh.bmj.com/content/20/3

These include:

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Notes

To request permissions go to: http://group.bmj.com/group/rights-licensing/permissions

To order reprints go to: http://journals.bmj.com/cgi/reprintform

To subscribe to BMJ go to: http://group.bmj.com/subscribe/