

Evidence-Based Mental Health



Contents

November 2009 Vol 12 No 4

EBMH Notebook

- 97 Schizophrenia and NICE: all quiet on the community front? *M Salter*
- 98 Are all antidepressants equal? *G Gartlehner, B N Gaynes*
- 101 Making the best use of available evidence: the case of new generation antidepressants
C Barbui, A Cipriani, T A Furukawa, G Salanti, J P T Higgins, R Churchill, N Watanabe, A Nakagawa, I M Omori, J R Geddes

Prognosis

- 105 Cognitive decline fastest in people with Alzheimer's disease compared with other dementias
- 106 Survival after myocardial infarction worse with first episode major depression than recurrent major depression

Therapeutics

- 107 Review: clinically important differences between antidepressants
- 108 In adolescents with SSRI resistant depression, CBT/combined treatment is most effective in those with comorbid disorders
- 109 SSRI plus supportive care more effective than supportive care alone for mild to moderate depression
- 110 Group psychoeducation increases time to recurrence in stabilised bipolar disorders
- 111 Review: lamotrigine may be an effective treatment for clozapine resistant schizophrenia
- 112 Review: limited evidence that adding a second antipsychotic improves clozapine treatment in schizophrenia
- 113 Review: rivastigmine reduces rate of cognitive decline and improves performance in mild to moderate Alzheimer's
- 114 Review: statins do not protect against development of dementia
- 115 A stepped care intervention is effective for elderly people with subthreshold depression or anxiety

- 116 Review: school based prevention and early intervention programmes reduce anxiety
- 117 Review: limited evidence to support specialist mental health services as alternatives to inpatient care for young people with severe mental health disorders
- 118 Review: limited evidence that psychological therapies are of benefit for adults with chronic pain
- 119 Both focused and enhanced cognitive behavioural therapy improve eating disorder symptom severity
- 120 Peer group support intervention reduces psychological distress in AIDS orphans
- 121 Incentives increase enrolment in substance abuse treatment at community needle exchange site
- 122 Review: limited evidence to support pharmacological therapy for amphetamine withdrawal

Aetiology


- 123 Young people leaving the UK armed forces at increased risk of suicide
- 124 Limited evidence that bullying behaviour in children may be linked to later suicidal behaviour
- 125 Antenatal depression predicts depression in adolescent offspring
- 126 Cancer history may affect link between psychological distress and cancer mortality
- 127 Parental violent crime, previous violence and substance abuse predict future violence in people with schizophrenia

Prevalence

- 128 Review: prevalence of adult ADHD declines with age

Electronic pages

- e1 Purpose and procedure

 This article has been chosen by the Editor to be of special interest or importance and is freely available online.

C O P E COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org

 equator network

 recycle

When you have finished with this please recycle it